



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/645,327	08/21/2003	Wolfgang T. Mueller	HOE-770	7570
20028	7590	08/04/2005		
Lipsitz & McAllister, LLC 755 MAIN STREET MONROE, CT 06468			EXAMINER SALATA, ANTHONY J	
			ART UNIT 2837	PAPER NUMBER
DATE MAILED: 08/04/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

SF

Office Action Summary	Application No.	Applicant(s)	
	10/645,327	MUELLER, WOLFGANG T.	
	Examiner	Art Unit	
	Jonathan Salata	2837	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 August 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-20 is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 August 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>12-12-03</u> . | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2837



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER OF PATENTS AND
TRADEMARKS
Washington, D.C. 20231

Paper No:08012005
Application No:10/645327
Filing Date: August 22,2003

1. Claims 1-20 are allowed.
2. The following is an examiner's statement of reasons for allowance: The limitations of an elevator safety device with a speed determination unit, distance determination unit and comparator with stored maximum speed and nominal distance values, wherein distance and speed values are compared with actual values in the specific claim limitation in order to provide a trigger signal, is not shown or patentably suggested by the cited art or record..

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. This application is in condition for allowance except for the following formal matters:

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed. It should be brief but technically accurate and descriptive, preferably from two to seven words. See 37 CFR 1.72(a).

Art Unit: 2837

The Abstract of the Disclosure is objected to because it is not a single paragraph and line 4, "comprises" must be deleted. Correction is required. See M.P.E.P. § 608.01(b).

Applicant is reminded of the proper language and format of an Abstract of the Disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 250 words. It is important that the abstract not exceed 250 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said", should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

The drawings are objected to because the blank rectangular boxes and/or merely numbered boxes of figures 1-3 must be labeled. Conventional features disclosed in the description and claims, where their detailed illustration is not essential for a proper understanding of the invention, should be illustrated in the form of a graphical drawing symbol or a labeled representation (e.g., a labeled rectangular box). see 37 CFR 1.83(a). It is further pointed out that merely numbering the boxes is not considered an appropriate label. This allows identification of the drawing element without consulting the text of the specification. Correction is required.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2837

Yumura et al., Seki et al., Katzy et al., Klingbell, Caputo, Grossi et al., Tachino et al., Caputo et al and Satoh et al are cited to illustrate similar elevator safety systems utilizing distance and speed measurement systems.

A shortened statutory period for response to this action is set to expire 3 months from the date of this letter.

Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Any inquiry of a **general nature** should be directed to the **Group receptionist whose telephone number is (571) 272-2800.**

Information regarding the STATUS of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or public PARI. Status information for unpublished applications is available through Private PAIR ONLY. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Any questions on access to PAIR, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Papers related to this application may be submitted to Group 2800 by facsimile transmission. Papers should be faxed to Group 2800 via the PTO 2800 Fax Center located at Crystal Plaza 4. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989). The Group 2800 Fax Center number is (703) 872-9306.

For assistance in **Patent procedure, fees or general Patent questions** calls should be directed to the **Patents Assistance Center (PAC) whose telephone number is 800-786-9199.** Assistance is also available on the Internet at www.uspto.gov.

For requesting copies of Cited Art, Office Actions or the like, or General Problem solving, calls should be directed to the TC 2800 Customer Service Office whose telephone number is 703-306-3329 or by fax at 703-306-5515.

Any inquiry concerning **this communication or earlier communications from the examiner** should be directed to **Jonathan Salata whose telephone number is (571) 272-2073.** The examiner can normally be reached on Monday through Thursday from 7:30 am to 2:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin, can be reached on (571) 272-2107.

ajs

August 1, 2005


JONATHAN SALATA
PRIMARY EXAMINER
ART UNIT 2837